



UNDERGROUND LIGHTING

HABDO
LIGHTING

AREAS OF APPLICATION



Hospitality



Shopping Center




Commercial




Educational Center

SPECIFICATIONS


CODE NO.	WATT	LIUMEN	VOLTAG	CCT	CRI	IP RATE	BEAM ANGLE	DIMENSIONS	TIME LIFE
150054	4W	300LM	220AC	2700K	80	IP67	30°	200*77*75MM	30,000H



CODE NO.	WATT	LIUMEN	VOLTAG	CCT	CRI	IP RATE	BEAM ANGLE	DIMENSIONS	TIME LIFE
150053	6W	525LM	220AC	2700K	80	IP67	30°	300*77*75MM	30,000H




CODE NO.	WATT	LIUMEN	VOLTAG	CCT	CRI	IP RATE	BEAM ANGLE	DIMENSIONS	TIME LIFE
150052	12W	900LM	220AC	2700K	80	IP67	30°	500*77*75MM	30,000H



SPECIFICATIONS

CODE NO.	WATT	LIUMEN	VOLTAG	CCT	CRI	IP RATE	BEAM ANGLE	DIMENSIONS	TIME LIFE
150051	24W	1800LM	220AC	2700K	80	IP67	30°	1000*77*75MM	30,000H



10054 - 10053 - 10052 - 10051

APPLICATOIN PICTURE



Tel: 8001188889
Wep: lightingaddress.com
Email: support@lightingaddress.co