



LED IN-GROUND LIGHTING

lightingaddress.com

HABDO
LIGHTING

CE ROHS SASO CB ECO IP67

 CRI ≥80

 ANTI-GLARE YES



 VOLT AC 220

 BEAM ANG 30°

 TIME LIFE 25000H

 IP RAET IP67

CODE NO.	WATT	LIUMEN	CCT
100156	3W	270LM	3000K



 CRI ≥80

 ANTI-GLARE YES


 VOLT AC 220

 BEAM ANG 30°

 TIME LIFE 25000H

 IP RAET IP67

CODE NO.	WATT	LIUMEN	CCT
100157	5W	450LM	3000K



 CRI ≥80

 ANTI-GLARE YES


 VOLT AC 220

 BEAM ANG 30°

 TIME LIFE 25000H

 IP RAET IP67

CODE NO.	WATT	LIUMEN	CCT
100159	12W	1080LM	3000K



 CRI ≥80

 ANTI-GLARE YES


 VOLT AC 220

 BEAM ANG 30°

 TIME LIFE 25000H

 IP RAET IP67

CODE NO.	WATT	LIUMEN	CCT
100160	24W	2160LM	3000K



 CRI
≥80

 ANTI-GLARE
NO


 VOLT
AC 220

 BEAM ANG
24°

 TIME LIFE
25000H

 IP RAET
IP67

CODE NO.	WATT	LIUMEN	CCT
100167	5W	400LM	3000K



 CRI
≥80

 ANTI-GLARE
NO


 VOLT
AC 220

 BEAM ANG
24°

 TIME LIFE
25000H

 IP RAET
IP67

CODE NO.	WATT	LIUMEN	CCT
100171	10W	800LM	3000K



 CRI
≥80

 ANTI-GLARE
NO


 VOLT
AC 220

 BEAM ANG
24°

 TIME LIFE
25000H

 IP RAET
IP67

CODE NO.	WATT	LIUMEN	CCT
100172	15W	1200LM	3000K



 CRI
≥80

 ANTI-GLARE
NO


 VOLT
AC 220

 BEAM ANG
24°

 TIME LIFE
25000H

 IP RAET
IP67

CODE NO.	WATT	LIUMEN	CCT
100173	30W	2400LM	3000K





عنـوان الإضاءة LIGHTING ADDRESS

